Technology Document Management Consulting Services

color laser printer

# Small size. Larger than life office color.



# Phaser 6120 Color Laser Printer



# Fill your office with brilliant color.

Introducing the Xerox Phaser 6120 color laser printer. This printer offers legendary Phaser color, outstanding media flexibility and a smart, compact design. Plus, it's so easy to install and use, it's the bright spot in any small office.

# Precise Phaser color


Why settle for "average" color when you can get exceptional quality color from the Xerox Phaser 6120 laser printer.

- · Color that pops. Brilliant high resolution delivers amazing fine-line detail.
- · Professional results. True-to-life color and Pantone certification mean that you'll always get the color you want.
- Affordable quality. This printer offers industry standard color tools that color professionals will appreciate. Not to mention a price tag small offices will love.

# Excellent media flexibility

When it comes to media handling, most small office lasers offer the bare minimum. Not the Phaser 6120 laser printer. It makes no compromises.

- Custom jobs made easy. This printer comes with a standard 200-sheet multipurpose trav that supports media as narrow as 4 in. and as long as 14 in. And printing envelopes and labels is a cinch.
- · One-sided printing not enough? This printer enables two-sided printing with a reasonably priced duplexer.
- Supports heavy weights. The Phaser 6120 laser printer prints on 60-lb. cover stock (163 gsm) with the same ease as standard paper.
- Presentations with punch. This printer produces lush, full-color transparencies that make any presentation come to life.
- Big jobs welcome. High-output users can opt for an affordable 500-sheet feeder, bringing the total input capacity to 700 pages.



# All-around ease

From installation to everyday use, the Phaser 6120 printer is a no-sweat office solution.

- Easy, easy, easy. The Phaser 6120 was carefully engineered from the ground up to make it simple to use.
- Pre-installed toners and imaging unit make this printer virtually plug-and-play. It's so easy, you'll have it up and printing in minutes.
- Stay seated. The embedded CentreWare IS web server enables IT administrators and end-users to manage printers from their own computers.
- Troubleshooter. PrintingScout delivers instant printing alert information right to your workstation.

- Smart design. No more reaching behind the printer to replace a print or drum cartridge. This printer was designed with front-access for user interventions. Even jam clearance is a snap.
- Mac friendly. It has easy-to-use drivers for both PCs and Macs and supports all major print description languages, including PostScript® 3™ language support, PCL® 6, PCL 5c and PCL 5e.
- No waiting. A powerful 300 Mhz processor processes images fast. Connect the way you want with parallel, high-speed USB 2.0 and Ethernet 10/100 Base-TX – all standard.

# Designed for greatness

The Phaser 6120 makes a statement in any office. It offers excellent media handling with optional add-ons to enhance your office productivity. Who would have thought something so small could pack in so much?

- Variety encouraged. The 200-sheet multipurpose tray 1 supports a wide range of media; from transparencies to labels, card stock to envelopes.
- Business growing? Add on this optional 500-sheet feeder as your needs expand.
- 3 Print and go for a coffee break. The 200-sheet output tray allows for longer unattended operation.

Double up. This printer offers optional automatic two-sided (duplex) printing.

Optional hard disk drive offers advanced features such as Saved Print and Secure Print, plus flawless collation on multiset jobs.



shown with optional 500-sheet feeder



Imaging Supplies Co. Inc. 804 Woodland Ave Sanford, NC 27330 (919) 776 1152 (800) 518 1152



CONFIGURATIONS	Phaser 6120N	
Speed	Up to 5 ppm color / 20 ppm black-and-white	
Duty cycle	Up to 35,000 pages / month	
Paper Handling Paper input Standard	200-sheet Multipurpose Tray 1	
Optional	500-sheet Tray	
Automatic 2-sided printing	Optional	
Print First page out	As fast as 22 seconds color / 13 seconds black-and-white	
Resolution	2400 Enhanced	
Processor	300 MHz, 32 bit RISC	
Language Support	PostScript® 3 <sup>™</sup> language support, PCL® 6 / PCL 5c / PCL 5e emulations	
Connectivity	Parallel, USB 2.0, 10/100 Base-TX Ethernet	
Memory (Std / Max)	128 MB / 640 MB	
Internal Hard Drive	Optional (20 GB or greater) Hard drive supports Font storage, Forms, Electronic collation, PDF direct printing, Proof / Saved / Secure printing	
Print Features	Booklet printing, Watermarks, Custom page sizes, Scaling, Scale-to-fit, N-up printing, Graphical toner level gauges, Built-in support links, PrintingScout Alert notification	
Warranty	One-year Quick Exchange, Xerox Total Satisfaction Guarantee	

### SUPPLIES AND OPTIONS

Consumables	
Standard-Capacity Toner Cartridges*	
Cyan (1,500 pages)	113R00689
Magenta (1,500 pages)	113R00691
Yellow (1,500 pages)	113R00690
High-Capacity Toner Cartridges*	
Cyan (4,500 pages)	113R00693
Magenta (4,500 pages)	113R00695
Yellow (4,500 pages)	113R00694
Black (A 500 nages)	113200602

\*Capacities are approximate, based on 5% coverage on an A-sized page.

The toner cartridges are part of the Xerox Green World Alliance supplies recycling program. For more information, please visit the Green World Alliance web site at www.xerox.com/gwa

# Routine Maintenance Items

Imaging Unit 108R00691 (up to 20,000 pages black/up to 10,000 pages color: assumes average job size of 3 pages. Higher average job sizes will increase yields.)

Options	
500-Sheet Feeder	
Letter	097S03484
A4	097S03489
Hard Disk Drive	097S03485
Duplex Kit	
(includes 128 MB Memory)	097S03483

# **SPECIFICATIONS**

# Network/Software

Printer management CentreWare® IS Embedded Web Server, PrintingScout Alert Notification, CentreWare Web

Font capabilities 139 Resident PostScript fonts and 81 PCL

Printer drivers Windows 98/Me/NT 4.0/2000/Server 2003/XP Pro/ XP Home SP 1 or greater, Mac OS 9.2/OS X version 10.2 or greater, Linux Red Hat/SuSe, Walk-up printing driver

 $\begin{array}{l} \textbf{Language support} \ \mbox{PostScript 3, PCL} \ \mbox{6, PCL 5c,} \\ \mbox{PCL 5e emulations} \end{array}$ 

# Paper handling

Maximum input capacity 700 sheets

Multipurpose Tray 1 (standard) 16 – 43 lb. Bond and up to 60 lb. Cover, (60 – 163 gsm), Transparencies, Labels, Envelopes, Card stock. Media sizes: Letter, Legal, Folio, Executive, Statement, Index card, A4, A5, A, B5-ISO, B5-JIS. Envelopes: #10 Commercial, Monarch, DL, C5, C6, custom sizes 3.63 x 5.83 in. (92 x 148 mm) to 8.5 x 14 in. (216 x 356 mm)

**500-Sheet tray (optional)** 16-24 lb. Bond (60-90 gsm). Media sizes: Letter, A4.

Automatic two-sided printing (optional) (shipped with an additional 128 MB memory) 20 – 24 lb. Bond (75 – 90 gsm). Media sizes: Letter, A4, Folio Legal 13 in., Legal 14 in. from all trays Maximum output capacity 200 sheets

# Special features

**PrintingScout** Instantly displays pop-up help if attention is needed throughout print job

Productivity tools Booklet printing, Watermarks, Custom page size default registers, Scaling and scale-to-fit, N-up printing, Forms, Graphical toner level gauges, Built-in support links. Optional hard drive supports: Font storage, Forms, Color profiles, Job accounting, Electronic collation, PDF direct printing (level 1.3, 1.4), Proof print, Saved print and Secure print.

## Color controls

Color standards PANTONE®-approved solid-color simulations. Postscript device-independent color.

Selectable print-quality modes 2400 Enhanced; 600 dpi

# Operating

Dimensions width: 17.4 in. (442 mm), height: 13.4 in. (341 mm), depth: 15.6 in. (395 mm), weight (with consumables): 44.5 lbs. (20.2 kg); weight (packaged) 54 lbs. (24.4 kg)

Environment Temperature Non-operating: -20° – 40° C (-4° – 104° F), Operating: 10° – 32° C (50° – 90° F); Relative Humidity: Non-operating: 10 – 85% RH, Operating: 10 – 80% RH

Noise level < 35 dB standby, < 54 dB running

Electrical 200 – 240 VAC / 100 – 127 VAC at 50/60 Hz; Power consumption: Printing 380 W (monochrome), 290 W (color), Idle 90 W, Power Saver 27 W, ENERGY STAR® qualified printer

Regulatory Listed to UL 60950-1/CSA 60950-1-03, 1st Edition. Class 1 Laser Product. FCC Part 15, Class B. CE marked in accordance with the Low Voltage Directive 73/23/EEC and EMC Directive 89/336/EEC. Section 508 ADA.

# Total Satisfaction Services

One-year Quick Exchange Warranty, online web technical support and telephone support. Innovative service offerings include on-site and extended Service Agreements. The Phaser 6120 printer is backed by the Xerox Total Satisfaction Guarantee.

# **OUTSTANDING MEDIA CAPABILITY**

Take full advantage of the Phaser 6120 color printer with our comprehensive Xerox Paper and Specialty Media portfolio, which includes a selection of papers, labels and transparencies that come in a variety of weights and sizes. For a current listing of all recommended printing media visit:

www.xerox.com/office/6120supplies

















Copyright © 2006 Xerox Corporation. All rights reserved. Xerox\*, CentreWare\*, Phaser\*, the TekColor\* icon, Total Satisfaction Services\*\* and Walk-Up\* are registered trademarks or service marks of Xerox Corporation in the U.S. and/or other countries. Adobe\*, PostScript\* and PostScript\* are either registered trademarks or trademarks or trademarks or service marks of Adobe Systems Incorporated in the United States and/or other countries. Mac OS\*, Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. PCL\* is a registered trademark of Hewlett-Packard Company, Windows\*, Windows Nt\*\* and Windows Server\* are registered trademarks or trademarks of Herican States and/or other countries. Mac OS\*, Mac and the Mac logo are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. PCL\* is a registered trademark of Hewlett-Packard Company, Windows\*, Windows Nt\*\* and Windows Server\* are registered trademarks or trademarks of Apple Computer, Inc., registered in the U.S. and other countries. PCL\* is a registered trademark of Hewlett-Packard Company, Windows\*, Windows Nt\*\* and Windows\*, Windows Nt\*\* and Windows\*, Windows Nt\*\* and Windows\*, Wind