

Technology DocumentManagement Consulting Services

C20

M20/M20i

copy print scan fax email

Power and Performance within reach



Imaging Supplies Co. Inc. 804 Woodland Ave Sanford, NC 27330 (919) 776 1152 (800) 518 1152 www.imagingsuppliesco.com



Office machines



with the drive to SUCCEEd

Meet the CopyCentre[®] C20 digital copier, WorkCentre[®] M20 and WorkCentre[®] M20i copier-printers: our newest business class machines. They perform basic office tasks with intelligence, and demonstrate a knack for high-level performance, day in and day out. The tools you need, at three feature-rich levels...all of which sit comfortably on a desktop.

Extremely simple to use

Intuitive, simple to operate and incredibly convenient. Start with straightforward copy features that are a breeze to use. And add the functionality of network printing, fax and scan-to-email capabilities.

- Walk-up easy copying
- Interface is easy to understand at a glance. Press a few buttons and your task is complete
- High-quality printing on a wide range of media
- Simple print drivers for fast installation and instant productivity (M20/M20i)
- Powerful faxing in color or black-and-white (M20i)
- Scan in color or black-and-white (M20/M20i)
- Simple scanning direct to PC through USB connection (M20/M20i)

Extra smart design

Intelligent design and thoughtful feature set reduces the effort devoted to basic office tasks.

- Print directly from your network or from the Internet (networked models*)
- Scan to email addresses with push button ease (networked models*)
- Optical Character Recognition (OCR) and Image Editing Software are included to convert scanned images into editable text documents (M20/M20i)
- Xerox ControlCentre[™] 5.0 lets you monitor fax usage, enter phonebook data and more right from your PC (M20i)
- Remote device management tools available to easily monitor, manage and control networked devices (networked models*)
- Optional Secure Print and Network
 Authentication Kit provides a higher level
 of document and network access security
 *Networked models include the M20 with optional Network
 Accessory Kit or the M20i.




CentreWare IS gives your entire network access to WorkCentre M20i features.

C20

M20/M20i

The simple, intuitive design of C20 and M20/M20i control panels makes them easy to use. Many features are accessible with the touch of a single button.



Excellent performance

CopyCentre C20 copier and WorkCentre M20 and WorkCentre M20i copier-printers come packed with a full range of high-performance features you won't find on other office machines in this class:

- Up to 22 ppm (Letter) speeds
- Automatic two-sided printing and copying saves paper and produces more professional looking documents
- Ultra-fast 33.6 Kbps fax transmission with 16MB of fax memory (M20i)
- Scan-once-print-many reliability and productivity
- Electronic collation saves time by eliminating manual sorting

- 100-sheet bypass tray supports envelopes, transparencies and special media
- Optional second paper tray increases capacity to 1,200-sheets



WorkCentre M20i

Rock-solid reliability.

The Xerox name is synonymous with quality, innovation and service. It also means day-in, day-out reliability. CopyCentre C20 copiers and WorkCentre M20/M20i copier-printers are extremely durable, designed and built to perform flawlessly in today's high-speed, high-pressure workgroup settings.

Security

With WorkCentre M20/M20i, you stay in control. The M20/M20i offers device or optional network access protection that's safe and flexible. Optional Secure Print enables users to control when confidential documents are printed. The M20i also includes a secure fax mode, so sensitive information prints out only when you want it to. C20

WorkCentre[®]

M20/M20i



Imaging Supplies Co. Inc. 804 Woodland Ave Sanford, NC 27330 (919) 776 1152 (800) 518 1152

CopyCentre® C20 / WorkCentre® M20 / M20i



Second Paper tray Option



Cabinet Stand Option

SPECIFICATIONS

Copying

Speed: 22 copies per min. (letter); 21 copies per min. (A4) Resolution: 600 x 600 dpi First Copy Out: < 8 seconds Full Duplex: Yes (1-2, 2-2, 2-1) Reduce/Enlarge Platen: 25 – 400% in 1% increments DADF: 25 – 100% in 1% increments

Productivity: Scan Once Print Many. Electronic Pre-Collation standard Multiple Copies: Up to 999 copies of multiple page originals

Printing (M20, M20i)

Technology: Laser monochrome Speed: 22 ppm Letter; 21 ppm A4 Resolution: 600 x 600 dpi; 1200 x 1200 dpi interpolated First Print Out: < 9 seconds Two-Sided: Yes Secure Print: Optional Page Description Language (PDL): PCL6 emulation Standard; PostScript 3 printing support (Network products) Print Drivers: Windows 98/NT4.0/2000/Me/XP, Mac OS

Interfaces: USB 2.0 standard on M20 and M20i (USB cable included); Parallel Port, IEEE 1284, 10/100BaseT Ethernet standard on M20i, optional on M20

Scan (M20, M20i)

Compatibility: TWAIN standard Technology: Direct Connect to PC (USB); Parallel Port, IEEE 1284 Scan Resolution: Optical Resolution: 600 x 600 dpi Interpolated Resolution: 4800 dpi Pre-scan: 75 dpi

CONFIGURATIONS	CopyCentre [®] C20	WorkCentre [®] M20	WorkCentre [∞] M20i
Speed	Up to 22 ppm		
Duty Cycle	Up to 20,000 pages per month		
Paper Handling Paper input Standard	550-sheet Standard Tray,100-sheet Bypass Tray		
Optional	550-sheet Feeder		
Paper output	250-sheet Output Tray		
Automatic 2-sided	Standard		
Copy First copy out time	As fast as 8 seconds		
Resolution	600 x 600 dpi		
Print Resolution	NA	600 x 600 dpi, 1200 x	1200 dpi interpolated
Processor	NA	32-bit RISC processor with video controller functionality	
Connectivity	NA	USB 2.0, Parallel	USB 2.0, Parallel, 10/100 BaseT Ethernet
Optional accessories		Optional Network Accessory Kit	
		Optional Secure Print and Network Authentication Kit ¹	
Scan Resolution	NA	600 x 600 dpi, 4800 dpi interpolated	
Scan-to-email	NA	Optional	Standard
Fax Speed	NA	NA	33.6 Kbps
Resolution	NA	NA	Presets up to 400 x 400 dpi

Depth:

Monochrome: 1 bit Text and Halftone: 20 bit Color: 60 bit Scan Driver: TWAIN Standard Bundled OCR Software: PaperPort SE 9.0, OmniPage SE v2.0

Faxing (M20i)

Transmission Speed: 3 seconds per page Communication Mode: Half Duplex Modem Speed: 33.6 Kbps Data Compression: JBIG, MMR/MR/MH (JPEG for color fax transmission) Resolution: Pre-sets up to 400 x 400 dpi Fax Memory: 16 MB Dialing Speed Dials Up to 200 locations Group Dials Up to 199 supported Fax Features Halftones: 256 levels Color Fax Tx/Rec: Yes/No Secure Fax: Receive Mode, secure mailbox Battery Backup: Up to 100 hours when fully charged

Email (M20i, Optional M20)

Scan to SMTP addresses Local user access and authentication Device network access and authentication Guest mode access is available Network address list search via LDAP

Optional Accessories

Network Accessory Kit (M20) (customer installable) Adds 32MB Memory, Ethernet NIC, PostScript® 3 printing support, Email Keyboard, and applicable software and documentation

Secure Print and Network Authentication Kit[†] (M20/M20i) (customer installable) adds 128 MB and applicable software. Enables Secure Print and Network Authentication for Scan-to-email via SMB or Kerberos Second Paper Tray Cabinet Stand Foreign Device Interface (Service Install)

Media Handling

Input Paper Capacity Standard Tray: 550 sheets, optional second tray (550 sheets) Bypass Tray: 100 sheets Auto Tray Świtching Capable Paper Size Minimum: 5 x 7 in. / 127 x 176 mm Maximum: 8.5 x 14 in. / 216 x 356 mm Paper Weight Standard Tray: 16 – 24 lb / 60 – 90 gsm Bypass Tray: 16 – 43 lb / 60 – 163 gsm Document Handler: 50 sheets Output Tray Capacity: 250 sheets Media Types: Paper, envelopes, labels, transparencies

Physical Dimensions (WxDxH)

Unit: 21.3 x 17.4 x 19.2 in. / 540 x 441 x 488 mm, Weight: 58 lbs / 26 kg Unit with Second Paper Tray Option: 21.3 x 17.4 x 24.4 in. / 540 x 441 x 619 mm, Weight: 67 lbs / 30 kg Cabinet Stand Option: 21.3 x 23.4 x 22 in. / 540 x 594 x 560 mm

Electrical

Power Switch: Yes Power: 110 VAC, 50/60 Hz or 220 VAC, 50/60 Hz Power Consumption: Average: 450 watts Power Saver Mode: 35 watts Energy Saver: ENERGY STAR® Compliant

Operating Environment

Temperature Maximum Range 50° - 89.6°F/10° - 32°C Recommended Range 60.8° - 86°F/16° - 30°C Humidity

- Maximum Range 20 80% Recommended Range 30 70% Device Memory: C20: 32 MB, M20: 32 MB, M20 (with Network Accessory Kit): 64 MB,
- M20i: 80 MB
- Device Management: ControlCentre™ 5.0, CentreWare Internet Services, CentreWare Web, CentreWare DP, NDPS and HP Openview (Networked Products)

Supplies

Approximate Yields

- Toner Customer Replaceable Unit (CRU) Starter kit: 4,000 images*; Replacement kit: 8,000 images Drum Cartridge Customer Replaceable Unit
- (CRU) 20,000 images* *Capacities are approximate, based on 5% coverage

on a letter/A4-sized page. Declared yield values in accordance with ISO19572.

Agency Approvals Safety: UL Safety CSA Safety



* Optional Secure Print and Network Authentication Kit is only available for networked models. (Networked models include the M20 with optional Network Accessory Kit or the M20i)

© 2005 Xerox Corporation. All rights reserved. Xerox[®], CopyCentre[®], WorkCentre[®] and ControlCentre are trademarks of Xerox Corporation. In support of Xerox's environmental leadership goals, these models may contain some recycled components that are reconditioned. Support Center Practices (SCP) Certification is a registered trademark of Service Strategies Corporation. OmniPage[®] and PaperPort[®] are registered trademarks of ScanSoft, Inc. ENERGY STAR[®] is a registered mark. As an ENERGY STAR[®] Partner, Xerox Corporation has determined that these products meet the ENERGY STAR[®] guidelines for energy efficiency. Product information and/or specifications are subject to change without notice. 5/04, 12/04, 4/05, 6/05 610P723100 W20BR-01UD